



PAGE 1

PEAK 35

The Peak 35 is one of a kind. There is no other linear fireplace on the market today that can offer you such a sophisticated feel at a realistic price.

The Peak 35 has all the class of a modern contemporary linear fireplace.

Media: Clear Glass and River Pebbles

VIEWING AREA: 15" H x 32-1/2" W High 21,000BTU's Low 13,000BTU's Framing Dim: 33-1/2"H x 38"W x 15-1/2"D Internal Ceiling = Min 48" Mantle Height = 40" See page 8 for Dimensional info. *Safety Screen built into surround Options and Accessories See page 7

CANYON 35

This 35" See-Thru Linear fireplace is the narrowest adaptable and affordable See-thru on the market today. Framing depth of only 11". Why settle for a 22" thick wall when space is precious...

Media: Clear Glass and River Pebbles

VIEWING AREA: 15" H x 32-1/2" W High 20,000BTU's Low 13,000BTU's Framing Dim: 32"H x 39-1/2"W x 10-7/8"D Internal Ceiling = Min 40" Mantle Height = 40" See page 8 for Dimensional info. *Safety Screen built into surround

Options and Accessories See page 7

PAGE 2

RIDGE 42

Built to be the centerpiece of any stylish living room, the RIDGE 42 is a modern, flush front, clean face fireplace that is the cutting edge of style. At 42" wide, it will stand out in any setting. 30,000 BTU's on high and a reasonable 22,000 BTU's on low gives you both heat and relaxed output.

Media: West Coast Log Set

VIEWING AREA: 23-1/2" H x 34-1/4"" W West Coast Log Set Only

High 30,000BTU's Low 22,000BTU's Framing Dim: 43"H x 45-3/4"W x 19-1/2"D Internal Ceiling = Min 66" Mantle Height = 50"

See page 8 for Dimensional info.
*Safety Screen attached to surround



NOBLE 36

For those who are looking for a little more punch from their fireplace without taking up a lot of space, the Noble 36 is pound for pound the best bet out there. It boasts 26,000 BTU's and is proof good things come in small packages. With compact framing dimensions of only 36" wide and 15" deep, its amazing that this little unit releases so much heat!

Media: NB 4 Piece Log Set

VIEWING AREA: 16-1/2" H x 29" W High 26,000BTU's Low 18,000BTU's Framing Dim: 37"H x 38"W x 15"D Internal Ceiling = Min 52"Min Mantle Height = 42"Min See page 9 for Dimensional info. *Safety Screen built into surround

Deluxe System Only
- Porcelain Panels included

PAGE 3



ESSENCE 45

There is no other linear on the market today with as many standard features as the Limited Essence at this price. The Essence comes equipped with a full deluxe package that includes electronic ignition, a dual fan kit, modulating valve and 7 day programmable thermostat remote that can adjust the flame 7 levels and the fan 6 levels up and down.

Media: Black Glass and Grey Pebbles

VEIWING AREA: 18-1/2" H x 42" W

High 30,000BTU's Low 22,000BTU's Framing Dim:

39"H x 48-1/4"W x 16-1/2"D Internal Ceiling = Min 58" Mantle Height = 42"

Dim: Options and Accessories 8-1/4"W x 16-1/2"D See page 7

Deluxe System Only

- Porcelain Panels included

See page 9 for Dimensional info. *Safety Screen built into surround

PINNACLE 55

The Pinnacle 55 is the flagship of our fireplace line. It is a 55" linear fireplace that will be the centerpiece of your living room. Fully loaded with porcelain panels and a deluxe system at such a reasonable price. Plus, its 36,000 BTU's turn all the way down to 21,000 BTU's on low. A very versatile heating capacity!

Media: Black Glass and Grey Pebbles

VIEWING AREA: 18-1/2" H x 52-3/4" W High 36,000BTU's Low 21,000BTU's Framing Dim:

39"H x 58-1/2"W x 17-1/2"D Internal Ceiling = Min 58" Mantle Height = 45" See page 9 for Dimensional inf

See page 9 for Dimensional info.
*Safety Screen built into surround

Deluxe System Only
- Porcelain Panels included

Options and Accessories See page 7

PAGE 4

SUMMIT 65

The Summit 65 is our new extension of our popular Pinnacle 55 linear. With an extra 10" to play, with the Summit 65 takes what everyone loves about the Pinnacle one step further. Doing so with an extraordinary flame that only bumps up the BTU's to a manageable 38,000 BTU's. Meaning you can turn the fireplace on and leave it on, amazing for a linear this size!

Plus, only 17-1/2" deep required for framing!

Media: Black Glass and Grey Pebbles

VIEWING AREA: 18-1/2" H x 62-3/4" W

High 38,000BTU's Low 27,000BTU's Framing Dim:

39"H x 68-1/4"W x 17-1/2"D Internal Ceiling = Min 58" Mantle Height = 45"

See page 9 for Dimensional info.

Deluxe System Only
- Porcelain Panels included

Options and Accessories

See page 7

*Safety Screen attached to surround



SELECT 42

It is big and it is stylish. The Select 42 is a 42" flush clean face fireplace that comes complete with porcelain panels and a deluxe system as all of our limited line of fireplaces do. However, the Select 42 also showcases our new "traditional" style log set and our revamped burner with increased flame. It is one good looking fireplace and fully loaded!

Media: Traditional Log Set

VIEWING AREA: 23-1/2" H x 34-1/4"" W

High 30,000BTU's

Low 22,000BTU's Framing Dim:

43"H x 45-3/4"W x 19-1/2"D

Internal Ceiling = Min 66"

A4 ... TO

Mantle Height = 50"

See page 10 for Dimensional info.

*Safety Screen attached to surround

Deluxe System Only

- Porcelain Panels included

PAGE 5



BONAPARTE 48

The Bonaparte is a 48" wide linear See-Thru fireplace that is amazingly with only 8-3/4" deep required for framing. It boasts a potent 26,000 BTU's (with a turn down to 16,000BTU's on low) and a full Deluxe system, minus the fan option. There is enough heat thrown by this unit that a fan is unnecessary. After all, we want to be able to enjoy the beautiful flame as much as possible.

A sleek fireplace that will be easy to accommodate in both new home and renovation applications. With a fireplace this narrow, it can fit almost anywhere.

Media: Black Glass and Grey Pebbles

VIEWING AREA: 13" H x 41" W

High 26,000BTU's

Low 16,000BTU's Framing Dim:

56"H x 51-3/4"W x 8-3/4"D

See page 8 for Dimensional info. *Safety Screen built into surround Deluxe System (no fan)

Options and Accessories See page 7

OD2000 LINEAR OUTDOOR

Warm up your backyard and maximize your outdoor experience with the OD2000 linear 45" outdoor fireplace. At 40,000 BTU's, it will definitely take the chill off and the modern design will class up your backyard. The OD2000 is a completely stainless steel built fireplace from top to bottom. It is vent free for ease of installation and the stainless cover (included) will keep it protected for those days when it is not in use.

Media: Black Glass and Grey Pebbles

VIEWING AREA: 18-1/2" H x 42" W

High 40,000BTU's Low 29,000BTU's Framing Dim:

31"H x 47-3/8"W x 16"D Internal Ceiling = Min 48"

Mantle Height = 42" See page 10 for Dimensional info.

*Safety Screen attached to surround

*CERTIFIED for wood faming

Options and Accessories See page 7



INSERTS SERIES

PAGE 6

DVI26000 CHAMPION

HD Log Set.

Both the Grand and the Champion inserts are true clean face designs intended to maximize your viewing area.

The Deluxe System boasts all the bells and whistles including a 7 day programmable remote with thermostat control and 7 stage modulating flame control. The Deluxe System also has a 6 stage modulating fan so the homeowner can enjoy both radiant and convection heat from one fireplace.

-Deluxe System requires 110V

*Safety Screen attached to the unit.

Champion

VIEWING AREA: 16" H x 25" W

High: 26,000BTU's Low: 13,000BTU's

See page 10 for dimensional info



DVI26000 GRAND

Rock and Glass.

The only inserts you will find that encompass all of the most recent technology available including a full electronic package.

All inserts come standard with electronic ignition and the Deluxe system.

-Deluxe System requires 110V

*Safety Screen attached to the unit.

Grand

VIEWING AREA: 16" H x 25" W

High: 26,000BTU's Low: 13,000BTU's

See page 10 for dimensional info





FIREPLACE MEDIA

PAGE 7



Quality Craftsmanship

Savannah's products are designed with superior components and materials, assembled by trained craftsmen who take great pride in their work.

The burner and valve assembly are leak tested and test fired at a quality control test station. Once assembled, the complete fireplace is thoroughly inspected by a qualified technician before packaging to ensure that you, the customer, receives the quality product that you expect from Savannah.

Savannah shall not be liable for any direct, indirect, consequential or incidental damages about the use of this catalog or any related materials. The information in this catalog is advisory in nature and is subject to change. Savannah may make improvements and changes in the products described in this catalog without notice. Changes will be periodically made to the information in the new editions. Efforts have been made to ensure that the contents of this catalog are correct. Should you find an error, Savannah welcomes your comments to improve our communications. Please contact Savannah at 1 604 231 8923. Contents of this catalog are subject to change without prior notice at the discretion of Savannah Heating Products Ltd. This document has been prepared for the use of employees and customers of Savannah and may not be reproduced without the prior, written approval of Savannah Heating Products LTD.

DIMENSIONAL CHART AND FEATURES



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
PEAK 35	Hi 21,000	20,750	Тор	27-1/2"	33-1/2"	34-1/8"	38"	14-13/32"	15-1/2"	15"	32-1/2"	65.10%
PEAK 35	Lo 13,000	13,000	4" & 7"	27-1/2	33-1/2	34-1/0	30	14-13/32	15-1/2	15	32-1/2	05.10%
	Lo 13,000	13,000	4" & 7"									

Standard Features: Linear Design See page 1 Electronic Ignition Clear Glass & River Pebble Kit Tempered Glass

Surround: (Mandatory) Options: Basic Black w/Safety Screen Deluxe System Decorative Black w/Safety Screen Remote Decorative Stainless w/Safety Screen Media Kits · Clean Face w/Safety Screen Ceramic Stones Driftwood



Model	BT	U's	Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
CANIVONIO	Hi 20,000	19,500	Тор	07.00"	20"	25.2"	20.4/0"	44.00"	10.7/0"	15"	20.4/0"	CO 450/
CANYON 35	Lo 13,000	13,500	4" & 7"	27.38"	32"	35.3"	39-1/2"	11.88"	10-7/8"	15	32-1/2"	63.45%

Standard Features: Surround: True Clean Face Design See page 1 Electronic Ignition Clear Glass & River Pebble Kit Tempered Glass

Options: Deluxe System Decorative Black Decorative Stainless • Remote Media Kits Ceramic Stones Driftwood



Model	BT	U's	Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Bonaparte 48	Hi	26,000	Тор	27"	56"	47.63"	51-3/4"	9.85"	8-3/4"	13"	41"	65.8%
Bonaparte 40	Lo	16,000	4" & 6"	21	30	47.00	31-3/4	9.00	0-3/4	13	41	03.070
Standard Featu	res:			Surr	ound :				Options			

Linear Design See page 5 • Full Deluxe System (no Fan) Black Glass and Grey Pebble Kit Borosilicate Glass

Tempered Glass

Options: Driftwood & Media Kits No Surround Ceramic Stone Media Kits



Model	BTI	J's	Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
RIDGE 42	Hi 30,000	29,000	Тор	36"	43"	40-3/4"	45-3/4"	17-1/2"	19-1/2"	23-1/2"	34-1/4"	67.15%
RIDGE 42	Lo 22,000	19,000	4" & 7"	30	43	40-3/4	45-3/4	17-1/2	19-1/2	23-1/2	34-1/4	67.15%

Standard Featu	ires:	Surrounds:		Options:	
	True Clean Face Design		Basic Black 3 Sided		Remote
See page 2	Electronic Ignition		Basic Stainless 3 Sided		Deluxe System
1 0	West Coast Log Set				



DIMENSIONAL CHART AND FEATURES



Model	вті	J's	Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
F 45	Hi 30,000	27,000	Тор	20.06"	20"	44 1 / 4"	40 1 /4"	14 1 /2"	16 1/2"	10 1 /2"	42"	CO F00/
Essence 45	Lo 22,000	19,500	4" & 7"	29.86"	39"	44-1/4"	48-1/4"	14-1/2"	16-1/2"	18-1/2"	42"	69.50%

Standard Feature

See page 3

s:	9
Linear Design	Ī
Full Deluxe System	
Porcelain Liner	
Ceramic Glass	
Dual Stainless Steel Pan Burner	1
Black Glass and Grey Pebble Kit	
	-

Surrounds: (Mandatory) Options: Basic Black Surround w/Safety Screen

• Decorative Black Surround w/Safety Screen

Decorative Stainless Surround w/Safety Screen

• Clean Face w/ Safety Screen



Model	BTU	J's	Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Diameter EE	Hi 36,000	32,000	Тор	20.06"	20"	F 4 20"	50 4 /2"	11112	47.4/2//	40.4/2//	52.2/4"	CO 750/
Pinnacle 55	Lo 21 250	26,000	4" & 7"	29.86"	39"	54.29"	58-1/2"	14-1/2	17-1/2"	18-1/2"	52-3/4"	68.75%

Standard Features:

See page 3

 Linear Design • Full Deluxe System Porcelain Liner Ceramic Glass • Dual Stainless Steel Pan Burner Black Glass & Grey Pebble Kit

Surrounds: (Mandatory) Basic Black w/Safety Screen Decorative Black w/Safety Screen Decorative Stainless w/Safety Screen

 Driftwood Media Kits

Options:

Driftwood

Media Kits



Model	BTU	's	Vent Height		Width		Depth		Viewing Area		Efficiency	
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Commit CE	Hi 38,000	38,000	Тор	20.00"	20"	CA 1/4"	CO 1/4"	141/211	17 1/2	10 1 /2!!	C2 2/4"	CO 100/
Summit 65	Lo 27,000	26,000	4" & 7"	29.86"	39"	64-1/4"	68-1/4"	14-1/2"	17-1/2"	18-1/2"	62-3/4"	69.10%

• Clean Face w/ Safety Screen

Standard Features:


See page 4

Linear Design Full Deluxe System Porcelain Liner Borosilicate Glass Dual Stainless Steel Pan Burner Black Glass & Grey Pebble Kit

Surrounds: (Mandatory) Options: • Clean Face Black w/Safety Screen

• Basic Black w/Safety Screen

 Driftwood Media Kits





See page 2

Clean Face Design Full Deluxe System Porcelain Liner Ceramic Glass • 4 pc Traditional Log Set

Included on unit



DIMENSIONAL CHART AND FEATURES



Model	ВТ	'U's	Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Select 42	Hi 30,000	29,000	Тор	36"	43"	40-3/4"	45-3/4"	17-1/2"	19-1/2"	23-1/2"	34-1/4"	67.15%
Select 42	Lo 22,000	19,500	4" & 7"	30	43	40-3/4	45-3/4	17-1/2	19-1/2	23-1/2	34-1/4	07.15%

Included on unit

Standard Featu	res:	Surrounds:
See page 4	Clean Face Design	
	Full Deluxe System	
	Porcelain Liner	
	Ceramic Glass	
	4 pc Traditional Log Set	

Champion

200

Grand

Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Min	Actual	Min	Actual	Min	Height	Width	EnerGuide
Incort	Hi 26,000	23,000	Тор	20.049"	20-1/4"	30.129"	27"	18.215"	16-1/4"*	16"	25"	68.30%
Insert	Lo 13,000	16,500	3" & 3"	20.049	20-1/4	30.129	21	10.213	10-1/4	10	25	00.30%

Surrounds:

Included on unit

Standard Features:							
	Clean Face Design						
Soo nogo 6	Full Deluxe System						
See page 6	Porcelain Liner (Grand) or Ceramic Brick (champion)						
	Ceramic Glass						
	7 pc Log Set (West Coast or East Coast) or Rock and Glass						



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
OD2000	Hi 40,000	32,500		25"	21"	43-1/8"	47-3/8"	14"	16"	14-1/2"	39"	
OD2000	Lo 29,000	24,000	Vent-less	25	31	43-1/8	47-3/8	14	10	14-1/2	39	

Surrounds:

Standard Features:						
See page 5	· Clean Face Design					
	Full Deluxe System					
	Black Glass and Grey Pebbles					
	Stainless Steel Cover					

Included on unit





Quality is in the Flame



